

#### PRECAUTIONS AND LIMITATIONS

- All corners, gaps, joints, protrusions & outlets shall be coated with two extra coats.
- Do not apply during rains; substrate MUST be in SSD condition for application of primer.
- The product is designed only for foot traffic and not vehicular or movement of machinery or equipment.
- Do not apply Apcobuild Topguard over expansion or moving joints

#### TECHNICAL INFORMATION

Coverage 2 m<sup>2</sup> per litre per coat (May vary with substrate condition)

#### HEALTH AND SAFETY

- Skin Contact : Wash skin with soap & water. Remove contaminated clothes.
- On eye contact: Immediately splash eyes with plenty of water. Consult Physician if irritation persists.
- Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a Physician.

**DISCLAIMER:** These suggestions and data are based on information, which we believe to be reliable. They are given for information only and in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. We recommend that the user determine the suitability of our materials and suggestions before adopting them on a commercial scale.



### apcotex industries limited

Plot No. 77, 49-53, Mahavir Centre, 3rd Floor, Sector-17, Vashi-400703. Dist-Raigad, India  
Tel : +91-22-2740-3500 Fax : +91-22-2741-2052  
Email : apcobuild@apcotex.com Website : www.apcobuild.co.in

Recommended use in construction segment.

#### SHELF LIFE

12 months.

#### PACKAGING

30 kg.



## TOPGUARD™

### HEAVY DUTY REINFORCED ACRYLIC WATERPROOF COATING FOR TERRACE

- Apcobuild Topguard is a heavy duty terrace waterproof coating system, composed of specially developed highly elastic & resilient acrylic polymers, properly selected & graded fillers, light fast & weather durable pigments with micro-fibres, additives & best quality fungicidal in aqueous medium. It is used as a liquid applied waterproofing membrane for all types of building terraces.
- Apcobuild Topguard is a three-layer system ensuring proper build-up of the thickness, making it a reliable waterproofing system.
- The coating performance can be enhanced for large roofs, by providing a fiber mesh that is embedded or sandwiched between the coats.